CREATIVE COMMUNICATION GROUP Ltd.

EQUIPMENT CATALOGUE 2013

www.ccg-events.com

- LIGHTING
- SOUND
- BACKLINE
- SPECIAL EFFECTS
- SCREENS&PROJECTIONS
- ROOF SYSTEM
- STAGING&TRUSSING
- CABLING&WIRING

CREATIVE COMMUNICATION GROUP Ltd.

ARCHITECTURAL & DECORATIVE LIGHTING

GRIVEN

Griven KOLORADO 4000W

High power outdoor colour changer
(12 units Abu Dhabi)

KOLORADO 4000, the most powerful outdoor colour changer of its kind, is designed primarily for external architectural lighting, combining a 75° wide angle high power flood light with the supplementary benefits of included 15° and 40° optic groups for assorted application purposes.

GRIVEN

Griven KALEIDO MSD 575W

Lamped outdoor colour changer
(12 units Doha)
(12 units Abu Dhabi)

The Griven KALEIDO MSD 575W lamped outdoor colour changer combines a smart CYM colour mixing system with a wide angle optical system to give the smoothest colour change coupled with a class-leading uniform and wide colour coverage. Power factor correction with only 4 amps required per unit; remote lamp on/off control option; stand-by function on black-out for lamp life extension and built in power saving system (33% reduction); multi-unit synchronisation via master/slave option; linear 0 to 100% dimmer; strobe effect with adjustable speed.

GRIVEN

Griven KOLORADO MK2 HMI 2500W

Architectural Colour Changer
(12 units Doha)

Architectural Color Changer KOLORADO MK2 2500 utilizes an HMI 2500/GS lamp and shares a similar wide angle output and the CYM colour mixing system of its small brother KOLORADO MK2 1800.

ARCHITECTURAL & DECORATIVE LIGHTING

GRIVEN

Griven KOLORSTREAM HMI 2500W

Architectural Colour Changer
(12 units Doha)

It uses an HMI 2500W lamp (G38 base) and a nickel-rhodium plated high reflectivity optical system. The high brightness beam, with manually adjustable variable angle from 15° to 33°, has the ability to highlight buildings up to 150m high. CYM subtractive colour mixing gives many spectacular colour hues, and the detachable ballast unit,separable by up to 25m, makes the projector lighter and simpler to install and transport. Eight factory programmed inbuilt colour sequences can be selected and scene change duration set via on board control for stand alone operation. All functions can alternatively be controlled from standard DMX 512.

GRIVEN

Griven KOLORGLOBE MK2 7000W

Colour changer searchlight
(4 units Abu Dhabi)

The KOLORGLOBE MK2 7000 is the CYM single beam colour changer searchlight that tops the catalogue. This concept in such high power lamp fixtures is almost unique and the combination of moving beam and colour change provides a truly spectacular display that could be a highlight for any permanent or temporary event.

GRIVEN

Griven IMPERIAL XENON 4000W

High power xenon searchligt
(6 units Doha)
(4 units Abu Dhabi)

IMPERIAL utilises a Xenon 4000W lamp to produce a single narrow searchlight beam. The motorised reflector precisely sweeps the beam through the sky, with up to 50° of pan and tilt possible. The high reflectivity optics and precision focus setting, via the adjustable lamp tray, ensure a superbly bright perfect light beam normally visible at distances of several kilometres.

GRIVEN

Griven GOBOSTORM PLUS 575W

High power zoom optics gobo projector
(6 units Doha)

GOBOSTORM PLUS is a fully weatherproofed (IP66) outdoor use high power zoom optics gobo projector, able to project changing images plus colour changes, which can be combined with other special effects. Using a 575 watt metal halide lamp with a high precision optical group, GOBOSTORM PLUS can project images with high brightness and clarity.

Studio Due

hotowall 1200e

Professional image projector
(2 units Abu Dhabi)

Photowall 1200e is a professional image projector for architectural, theatrical, events and most other applications. HMI 1200W lamp, powerful in terms of luminosity and projection, can reach incredible levels.

Studio Due

Studio Due Mini City 150SL
with DMX Shutter

CYM flood projector
(26 units Doha)
(24 units Abu Dhabi)

MiniCity 150SL is a CYM flood projector which has been created for static architectural purpose but, however, it is extremely versatile and can be used also for traditional applications.

MOVING LIGHTS

Vari Lite VL3500 Wash FX

1650W moving head washlight
(26 units Doha)
(24 units Abu Dhabi)

Proudly built in the USA, the VL3500 Wash FX luminaire is the newest member of the VARI*LITE Series 3000 family of luminaires. With an output that exceeds 50,000 lumens, as well as varied new options for color and beam control, this fixture will soon be the standard by which all wash lights are measured.

Clay Paky Alpha Wash 1500

1500W moving head washlight
(30 units Doha)
(30 units Abu Dhabi)

This fixture is the top washlight in the Alpha range, featuring a 1500W lamp, enhanced optics and a comprehensive colour generation system.

Clay Paky Alpha Spot HPE 1500

1500W moving head spotlight
(40 units Doha)
(20 units Abu Dhabi)

This 1500W moving head is the most impressive graphic effects spotlight available, with an incredible array of colour and imagery devices, including 20 gobos on 3 wheels, animation disc, rotating prism and the exclusive Automated-Star-Gobo).

Clay Paky Alpha Profile 1500

1500W moving head beam shaper
(12 units Doha)
(12 unit Abu Dhabi)

The Alpha Profile 1500 is a cutting-edge professional beam shaper that combines the high output power of a 1500 W lamp with an exclusive framing system (patented) capable of any shape. It features an astonishing 1:9 ratio zoom, with a breathtaking speed, that makes it suitable to both short and long distance applications.

Clay Paky Alpha Beam 1500

1500W moving head beam/spotlight
(12 units Doha)
(12 units Abu Dhabi)

Alpha Beam 1500 has the widest effect section and can be used both as a Moving Beam and a Spot thanks to the 14 gobos (6 rotating and 8 fixed), Focusing, 2 rotating prisms, CMY + color wheel, rotating beam shaper, dimmer + precision dimmer on separate channels, mechanical iris. It also offers 3 combinable linear frosts on dedicated channels.

Clay Paky Alpha Profile 1200

1200W moving head beam shaper
(14 units Abu Dhabi)

Alpha Profile 1200 is the professional beam shaper which combines the technology of the Alpha projectors with an exclusive framing system, designed and patented by Clay Paky.

Clay Paky Alpha Wash 1200

1200W moving head washlight
(12 units Doha)
(12 units Abu Dhabi)

This is the top washlight in its category: a 1200W light with all the technological, structural and reliability pluses typical of the Alpha line.

Clay Paky Alpha Spot 1200

1200W moving head spotlight
(24 units Doha)

Alpha Spot 1200 is an extremely bright 1200W effects projector with the following highlights: Linear Zoom 15° - 40°, Color mixing CMY, Graphic System with 14 gobo+ animation disc, linear CTO.

Clay Paky Alpha Profile 700

700W moving head beam shaper
(12 units Doha)

The Alpha Profile 700 is the only 700 watt automated spotlight with framing system available on the market. Focal distances have been optimised for an effective framing of well focused patterns, with triangles and quadrangles of all shapes and sizes

MOVING LIGHTS

Clay Paky Alpha Spot HPE 700

700W High Performance Effects projector
(24 units Doha)
(24 units Abu Dhabi)

Alpha Spot HPE 700 is the moving head spotlight of a new generation. Alpha Spot HPE 700, with its efficient light output, it's silent operation and reduced power consumption is a perfect example of high performance yet environmentally conscious product.

Clay Paky Alpha Wash 700

700W moving head washlight
(24 units Doha)
(24 units Abu Dhabi)

Alpha Wash 700 is an extraordinarily compact lightweight 700W washlight, with the luminous efficiency, graphic and optical performance of a higher category fixture.

Clay Paky Sharpy Wash 330

330 W moving head washlight
(36 units Abu Dhabi)

an extraordinarily compact. It is extremely silent and quick, and fitted with a complete CMY color system, special colors, 6.5°-48° zoom, mechanical dimmer, beam shaping filter and motorized top-hat. It is an eco-friendly light, allowing considerable running and consumption cost savings.

Clay Paky Sharpy 190

190W moving beam light
(30 units Doha)
(30 units Abu Dhabi)

Sharpy is a 190W moving beam light with an unprecedented brightness usually achievable only with far greater wattages. Weighing just 16 kg, Sharpy produces a perfectly parallel, laser-like beam.

Clay Paky A.leda Wash K20

professional Clay Paky fixtures to use LEDs as light sources
(24 units Abu Dhabi)

offers a valid alternative to discharge lamp washlights, adding all the benefits of LED technology: low energy consumption, long light source life, small size, light weight and robustness.

ROBIN® 600 LEDWash

600W moving head LED Wash
(36 units Doha)
(12 units Abu Dhabi)

The super-slim ROBIN® 600 LEDWash features 37x 10 Watt RGBW multichip LEDs with colour output ranging from gentle pastels to the richest saturation.

FOLLOW SPOT

robert juliat

Robert Juliat Follow Spot 1015 Cyrano 2500W

2500W HMI follow spot
(2 units Doha)

Exclusively created to enrich traditional sceneries, Robert Juliat Cyrano is a discharge followspot HMI 2500W with manual dimmer, 3-8 degrees.

robert juliat

Robert Juliat Follow Spot Lancelot 4000w HTI

4000W HTI follow spot
(2 units Abu Dhabi)

Lancelot is not just another very long-throw folllowspot. An unequalled range of modular accessories, manual or motorised. can be added to make it the most powerful effect projector ever built.

CONVENTIONAL LIGHTS

ARRI

Arri light Daylight wash

2000w with barn door
(20 units Doha)

The largest of the Arrilites, the Arrilite 2000 handles the broadest range of video location and studio lighting requirements. The Arrilite 2000 is the first 2000 watt fixture to take advantage of Arri's thermoplastic construction.

QUARTZCOLOR

Quartzcolor Redhead 800W

(12 units Doha)

An open face floodlight made of state-of-the-art fiber glass, the famous QUARTZCOLOR REDHEADS are a favourite of cameramen worldwide.

QUARTZCOLOR

Quartzcolor Bambino 650W

(9 units Doha)

The Bambino 650W was developed for use in studios and on location to meet the exacting needs of industry professionals.

SPOTLIGHT

Spotlight Quadro 10 F

(24 units Abu Dhabi)

A Fresnel luminaire with a soft-edged beam - Variable from 7 to 45° 150mm Ø borosilicate lens - Barndoors - Power: 650/1000W

GRIVEN

Griven Spot 500 Fresnel lens

(13 units Doha)
(12 units Abu Dhabi)

Theatre spot with Fresnel precise focusing by means of endless screw.

GRIVEN

Griven Spot 1000 Fresnel lens

(48 units Doha)
(12 units Abu Dhabi)

Theatre spot with Fresnel precise focusing by means of endless screw.

GRIVEN

Griven Spot 2000 Fresnel lens

(24 units Doha)
(12 units Abu Dhabi)

High quality theatre spot with Fresnel precise focusing by means of endless screw.

GRIVEN

Griven Arco PC 2000

(12 units Abu Dhabi)

professional spotlight gives high-output for lighting applications in large theatres and stages.

CONVENTIONAL LIGHTS

ETC Source Four PARNel

PAR optics with fresnel focus
(100 units Doha)
(100 units Abu Dhabi)

Featuring a patented wave-lens design and easy focusing knob, the PARNel lets you quickly access a range of 25º-45º – a smooth, soft, symmetrical field that you can spot or flood as needed. Enhanced Aluminum Reflector .Super-efficient HPL lamp

ETC Source Four Profile 10˚ 750W

750W HPL fixture, 10˚ field angle
(12 units Doha)

Rated up to 750W, the Source Four is perfect for punching through saturated colors and performing the longest throws.10˚ field-angle range.

ETC Source Four Profile 19˚ 750W

750W HPL fixture, 19˚ field angle
(12 units Doha)
(12 units Abu Dhabi)

Rated up to 750W, the Source Four is perfect for punching through saturated colors and performing the longest throws.19˚ field-angle range.

ETC Source Four Profile 26˚ 750W

750W HPL fixture, 26˚ field angle
(12 units Doha)
(12 units Abu Dhabi)

Rated up to 750W, the Source Four is perfect for punching through saturated colors and performing the longest throws. 26˚ field-angle range.

ETC Source Four Profile 36˚ 750W

750W HPL fixture, 36˚ field angle
(19 units Doha)
(12 units Abu Dhabi)

Rated up to 750W, the Source Four is perfect for punching through saturated colors and performing the longest throws. 36˚ field-angle range.

ETC Source Four Zoom 25˚-50˚ 750W

750W HPL fixture, 25˚-50˚ field angle
(24 units Doha)
(12 units Abu Dhabi)

Rated up to 750W, Source Four Zoom gives you Source Four's crisp optics for excellent imaging and field quality. 25˚ field-angle range.

ETC Source Four jr Zoom 25˚-50˚ 575W

575W HPL fixture, 25˚-50˚ field angle
(12 units Doha)
(12 units Abu Dhabi)

The smaller-scale Source Four jr uses the same technology that made the standard Source Four famous. That means unsurpassed imaging and beam quality. Compared to many conventional 650W and 1000W ellipsoidal spotlights, Source Four jr's 575 watts still delivers an even brighter light and offers the flexibility of multiple HPL lamp options and interchangeble lenses with 26º, 36º, and 50º fixed-field angles.

CONVENTIONAL LIGHTS

Spotlight RIBALTINA 4
4 Compartment Floodlight
(4 units Doha)
4-Compartment floodilght using linear halogen lamps from 150 to 1000W.
Length: 1m. Power: 150W-1000W.

Audience Blinders
(10 units Doha)
8 Lamps

Pin Spot 56 Silver Narrow
(100 units Doha)
(100 units Abu Dhabi)

Pin Spot 16 Silver Narrow
(58 units Doha)

Pin Spot 36 black
(33 units Doha)

Pin Spot 36 Silver Narrow
57 units Doha)
(50 unit Abu Dhabi)

Pin Spot 38 Silver Narrow
(50 units Doha)
(50 unit Abu Dhabi)

Par 64
(40 units Doha)
1000W Silver Flood

Par 64
(65 units Doha)
1000W Silver Very Narrow

Par 64
(24 units Doha)
(200 units Abu Dhabi)
1000W Black Flood

Par 64
(85 units Doha)
1000W Black Narrow

Par 64
(90 units Doha)
1000W Black Very Narrow

LED Par 64
(38 units Doha)
Black & Silver 3w (33 + 5)

LED LIGHTING

GRIVEN

AL1632 STROKER MEDIUM

(10 units Doha)

(10 units Abu Dhabi)

AL1634 STROKER WIDE

(15 units Doha)

(10 units Abu Dhabi)

Fitted with thirty-six 3W full colour LEDs and designed for refined professional use, STROKER is a super flux and high luminance colour changer for exterior and interior use.

i-PIX

BB4

(24 units Abu Duabi)

The BB 4 washlight, is equipped with four custom Light Engines from Lamina. It is the highest power point source led light available. The performance of these light engines to i-pix's exacting colour specifications gives a tighter tolerance and improved colour performance, which makes tungsten lighting performance from the BB 4 possible.

SGM

X-5 White LED Strobe

(25 units Doha)

The X-5 is a white LED strobe, with 2,970 LED's, power consumption of 360W (standby power of 6W), with lamp life of 50,000 hours. Housed in a black, slim aluminium chassis, it contains 160° lens as standard, tilt of 0°-180°, 1 or 4 DMX channels and set up is via OLED 5-button graphic display.

GRIVEN

Parade -i -PIX 12

(50 units Doha)

PARADE-i-Pix 12 is a powerful full colour LED modular bar that enables an endless layout of patterns and graphic displays. Mounted on large surfaces, it can also be used to screen low resolution video-footage owing to its ability to drive each single full colour LED independently. Featuring IP65 protection rating, self addressing technology, remote firmware update, integrated electronic driver and full digital control over all functions, this state of the art versatile module is the ultimate pixel lighting solution.

Longman

Flower 420D

(49 units Doha)

High-power 3 Watt LED. Full Color Changing, DMX 512 Control, weather proof.

CLAY PAKY

LED bar for stage lighting

(12 units Abu Dhabi)

GlowUp Strip 100 is a LED bar for professional stage lighting, with mixed battery/mains power supply and mixed cable/wireless control. 10 powerful RGB-W multichip LEDs are arranged in a line inside a 100 cm linear aluminium housing suitable for outdoors use (IP65). colored light, with a beam angle that can be adjusted from 14° to 70° using an electronic motorized zoom.

LED LIGHTING

CLAY PAKY

GlowUp C
(24 units Doha)
(12 units Abu Dhabi)

GlowUp is a portable, battery-powered luminaire that removes the logistical headache of running cables at events – dramatically reducing set-up time, while saving money and improving safety.Based on durable, high-power LEDs, GlowUp offers years of energy-efficient service.

Silverstar Arc-paint 304 led par
(192 units Doha)
(100 units Abu Dhabi)

Compact LED light with a powerful light output, Used on stages and medium size venues with a maximum projection distance of 35 meters.The IP67 protection ensures reliable operation of the device in architectural lighting systems in any weather.

EXPOLITE

TourLED 37 Pro Zoom
(100 units Doha)
(100 units Abu Dhabi)

37 x 3 Watt High Power LED luminaire with Zoom Angles of 8 to 40 degrees & full RGBW color mixing.

GRIVEN

POWERSHINE D RGB+W
(12 units Abu Dhabi)

The new generation of powerful exterior lighting and colour changing architectural wall washers by GRIVEN is topped by the latest POWERSHINE series, a high density LEDs single or double configuration modules range which features 3W power LEDs.

CLAY PAKY

Igloo Weatherproof
(24 units Abu Dhabi)

A tough, sturdy enclosure that offers complete protection against rain and humidity, and maintains a perfect working temperature (between 0°C and 35°C) for fixtures even in hot or sub-zero conditions.

LIGHTING CONSOLES

MA Lighting GrandMA2 Full Size

(1 unit Doha)
(2 unit Abu Dhabi)

The new signature console of MA Lighting is the grandMA2 full-size. It controls all kinds of lighting genres like conventionals, moving lights, LEDs, video and media. Equipped with the most up-to-date technology and even some special tools (e.g. keyboard drawer or multi-touch command) , full compatibility with 'series 1'-sessions.

MA Lighting GrandMA2 light

(2 units Doha)
(2 unit Abu Dhabi)

With the grandMA2 light, MA Lighting offers a compact version of the new grandMA2 full-size featuring 4,096 parameters, 15 motorized faders on board and two touchscreens. All additional features as well as all command keys are the same as with the grandMA2 full-size.

MA Lighting GrandMA2 ultra light

(1 unit Doha)

The grandMA2 ultra-light features the full network performance of the MA Lighting family. All controls are at the same place with the bigger consoles. With it's 4,096 parameters and 6 DMX-outputs the grandMA2 ultra-light is the perfect backup solution.

LIGHTING CONSOLES

MA Lighting GrandMA NPU

(1 unit Doha)
(1 unit Abu Dhabi)

The MA NPU (Network Processing Unit) unites the calculation power in the network and offers the same CPU power as the consoles. In total every MA NPU can deal with 4,096 parameters.

MA Lighting GrandMA VPU

(1 unit Abu Dhabi)

The Video Processing Unit is a media server, for both still and moving images, that is fully integrated into the grandMA lighting control system. A solution for controlling, live-accessing and altering video, still images and 3D-objects in real-time All videos. Several 3D Video Layers with full effects capabilities for high-resolution projections . Also Several Cameras for Shaper, Iris, FX Effects, Scaling, Camera Positions, Keystone, Softedge and 3D Objects.The VPU's Basic max resolution is HD 1280 x 720.

MA Lighting onPC Command Wing

(1 unit Doha)

Real-time control for 2,048 parameters in combination with grandMA2 onPC (up to 65,536 parameters as backup in the MA system)

MA Lighting 2Port Node Pro

(1 unit Doha)
(1 unit Abu Dhabi)

The MA 2Port Node supplements the MA Lighting product range for networking and integrated system solutions and provides a tool for converting ethernet data to DMX data and vice versa.

LIGHTING CONSOLES

Hog iPC Console

(1 unit Doha)

The Hog iPC console is a small, mid-range controller which offers maximum flexibility for programmers. It is designed to use the Wholehog 3 control system - so you get the most advanced features and functionality.

Road Hog Full Boar

(1 unit Abu Dhabi)

Designed from the ground up to provide superb lighting control with powerful programming procedures, the Road Hog Full Boar expands your possibilites with an unprecedented amount of power and options. Equipped with Flying Pig Systems renowned Wholehog software, you are able to create, manage, edit, and playback lighting to enhance any production environment.

Pearl 2008

(1 unit Abu Dhabi)

The Pearl 2008 is a cosmetically updated Pearl 2004 with the addition of USB memory, giving storage for the complete set of personality files as well as multiple show files.

DIMMER PACKS

Art 2000T Rack 48 Channels 16 amp each

(2 units Doha)
(1 unit Abu Dhabi)

Providing a complete solution to Dimming and Moving Light Power distribution. No need to have separate mains distribution making set up times faster and lowering the number of individual components needed to put a show together.

Art 2000 PowerCube

(2 units Doha)
(2 units Abu Dhabi)

30 years of Avolites dimmer development delivers the Art 2000 Power Cube – a complete Dimming, Mains and Data Distribution Solution in one box!

Digital Dimmer Rack 24 channels x 3.7 KVA

(2 units Doha)

The MA 24 channel dimmer rack is equipped with two digital dimmer units 12 x 2.3kVA. This rack is equipped with 63A power distribution including all required RCD breakers, a 24/4 hotpatch panel and 16 Harting HAN16E sockets is delivered completely wired and in full working order. All dimmer units are protected with 32A breakers per phase. The special shockproof case offers optimal safety during transport.

Zero 88 1 Rack of 6 Dimmer

(9 units Doha)

Housed 6 in a compact 20U unit, the dimmer pack offers users thirty six 10 amp circuits of dimming control, using the latest electronic and electrical designs. All operator controls are available through a simple, intuitive interface. Offering 12 memories, a pre-heat per channel, three dimmer curves and Chilli-Net compatibility.

MAJOR SWITCH-PACK 12 channels

(1 unit Doha)
(1 unit Abu Dhabi)

MAJOR SWITCH-PACK 24 channels

(1 unit Doha)
(1 unit Abu Dhabi)

Switch power consumers on and off remotely via DMX

MAJOR Power Distribution 400 A

(4 units Doha)
(2 unitsAbu Dhabi)

The MAJOR 19" Powerlock power distribution in the 10 HE housing distribute 400A over 48 x socapex channels

DMX CONTROLLERS

W-DMX Black Box S-1 Transmitter 512ch

(1 unit Doha)

The W-DMX BlackBox S-1 is a user-friendly single DMX universe transmitter with "One-Button-2-Go" technology. The S-1 transmits 512 channels DMX (one universe) wireless through the W-DMX technology that is proven to be safe, reliable and easy to use.

Show DMX Transmitter

(2 units Abu Dhabi)

The SHoW DMX Transmitter contains a range of features that assure high data fidelity while still having the ability to minimize its effect on WiFi in the area.

Sunlite Computerized Lighting

(4 units Doha)

(2 units Abu Dhabi)

Computer Based DMX Controller

Electron DMX Splitter SP-142

(2 units)

The splitter SP-142 is the ideal tool for splitting and buffering the DMX-512 signal.

Optocore DD6NE - Fast Ethernet Network Device

6 Ethernet Network Ports and External Word Clock

(3 units Doha)

Usable as virtual switch in combination with other Optocore devices. Four RS485 interfaces for the exchange of control data. (e.g. RS422, RS485, DMX, MIDI), 6 RJ45 interfaces for 10 Mbit or 100 Mbit Ethernet, 2 optical 1 Gbps LINK interface with duplex SC-connectors. Dual power supply with automatic switchover, 1 USB and 1 RS232 port for configuration and control. Full remote access with OPTOCORE CONTROL software.

Grand MA Splitter

(4 units Abu Dhabi)

Booster & Splitter

W-DMX BlackBox R-512,Receiver 512 ch

(2 units Doha)

The W-DMX BlackBox R-512 indoor receiver is the original BlackBox R-512 is a user-friendly receiver with "One-Button-2-Go" technology. The R-512 receives all 512 channels (one universe) DMX wireless through the W-DMX technology that is proven to be safe, reliable and easy to use.

Show DMX Receiver

(8 units Abu Dhabi)

The SHoW DMX Receiver contains a range of features that assure high data fidelity while still having the ability to minimize its effect on WiFi in the area.

Avolite Truss Mount Splitter

(11 units Doha)

(10 units Abu Dhabi)

The reliable and resilient principals of Tube Technology are utilised by Avolites in the Truss Mounting DMX splitter. Cased in a thick-wall, rigid plastic tube, the splitter is designed to attach to anything.

Optocore V3R-FX-INTERCOM

(2 units Abu Dhabi)

4 intercom duplex channels, RJ45 intercom I/O interfaces for matrix and for user panels, Fully compatible with Clear-Com/RTS devices, Transport of intercom audio and control data, Can work as 4 Line-In and 4 Line-Out converter ub D Connector with four RS485 interfaces for the exchange of control data. (e.g. RS422, RS485, DMX, MIDI) or GPI/O, Word clock input and output, 2 optical 2 Gbps LINK interface with duplex LC-connectors

OptoCable 4/150

(3 units Doha)

(2 units Abu Dhabi)

150m rugged environment cable mounted to expanded beam plugs on a special rubber cable drum OCD-R

SPEAKERS

Meyer Sound LEO-M

Leo-M Advanced Linear Array Loudspeaker
(24 units Abu Dhabi)

Optimized line arrays with controlled, directivity for even coverage and consistent responses over long throws, High peak power output with exceptional, linearity and transient reproduction at extreme level, Self-powered for simplified setup and increased reliability, Integrates seamlessly with 1100-LFC and MICA.

Meyer Sound 1100-LFC

1100-LFC : Low-Frequency Control Element
(18 units Abu Dhabi)

High peak power output yields excellent transient reproduction and low-frequency clarity at extreme operating levels, Tuned, vented cabinet optimized for low air velocities, Linearity and power bring new possibilities for low-frequency system design, Stackable and flyable with other 1100-LFCs in regular and cardioid arrays, Optimized to integrate with MILO, MICA, JM-1P, and other Meyer Sound loudspeakers

Meyer Sound Galileo 616

DSP-based processing
(2 unit Abu Dhabi)

Galileo 616: Six inputs - analog, AES/EBU or a mixture - and 16 analog outputs with full matrix mixing and routing for driving systems from small to very large. Presets for setups of Meyer Sound line array and point source systems from small to very large.

Meyer Sound Galileo Callisto 616

Six inputs processor
(2 unit Abu Dhabi)

Six inputs (analog, AES/EBU, or mixed) and 16 analog outputs with full matrix mixing and routing for driving systems of any size, Robust +26 dBu outputs easily drive Meyer Sound self-powered loudspeaker systems, A/D/A conversion with 24-bit resolution at 96 kHz; digital converted to 96 kHz sample rate

SPEAKERS

Meyer Sound MILO 90

High-Power Narrow Coverage Curvilinear Array Loudspeaker (10 units Abo Dhabi)

Controlled horizontal coverage angle of 90 degrees. Patented REM ribbon emulation manifolds dramatically minimize distortion. Exceptional fidelity and peak capability assure clean, high-impact response. Seamless integration with other M Series models. Quick Fly rigging system simplifies use in flown or ground-stacked arrays.

Meyer Sound MILO 120

High-Power Expanded Coverage Curvilinear Array Loudspeaker (2 units Abu Dhabi)

Extreme coverage angles of 120 degrees (horizontal) and 20 degrees (vertical), High-power output (138 dB SPL peak), Compact cabinet, QuickFly components compatible with existing MILO and other M Series products, Optional MILO 120-I insert enhances appearance of arrays and provides a small acoustical benefit.

Meyer Sound 700-HP

Ultra High-Power Subwoofer (4 units Abu Dhabi)

Stackable, Flyable using optional rigging kit. Extremely low distortion for ultimate low-frequency clarity. Very high peak power yields excellent transient reproduction. Ultra-efficient neodymium magnet drivers. Transportable in blocks using optional heavy-duty caster frame.

Meyer Sound MICA

Compact High-Power Curvilinear Array (6 units Abu Dhabi)

Very high power-to-size ratio, Exceptional fidelity and transient response for intelligibility and high-impact, Seamless integration with MILO or M'elodie, Wide and even horizontal coverage pattern, QuickFly rigging system with captive GuideALinks simplifies use in flown or groundstacked arrays.

SPEAKERS

Meyer Sound MM-4XP

Self powered miniature loudspeaker
(12 units Doha)

The MM-4XP miniature loudspeaker is a self-powered loudspeaker designed for high-quality distributed systems. Housed in a compact aluminum enclosure, the MM-4XP is especially suitable for installations involving space limitations and visibility concerns, such as fill and spot coverage, and hidden locations like chancel steps in a house of worship. Its flexible and easy-to-configure mounting options, as well as its ability to effortlessly reproduce both speech and music, make it an excellent choice for fixed applications, theatrical presentations (stage lip frontfill), and small portable systems for corporate AV solutions.

Meyer Sound MM-4XPD

Directional miniature self-powered loudspeaker
(12 units Doha)

The MM-4XPD directional loudspeaker was specifically designed for high-quality distributed systems in highly reverberant spaces. The directional polar pattern of the loudspeaker at low frequencies significantly reduces the excitation of the room and increases the intelligibility of the system.

Meyer Sound MM-10

Miniature subwoofer
(6 units Doha)

The MM-10 miniature subwoofer delivers expanded low frequency for applications that require excellent audio quality from a compact system. Designed primarily as a companion to Meyer Sound's MM-4XP miniature loudspeaker, as well as the UP-4XP ultracompact loudspeaker, the MM-10 allows system designers to create full-range systems where space limitations are a concern.

Meyer Sound MPS-488HPe

Power supply
(4 units Doha)

The MPS-488HP external power supply delivers DC power and balanced audio to up to eight Meyer Sound loudspeakers that require an external 48 V DC power supply. The single-space 19-inch rack MPS-488HP can be used with the UP-4XP ultracompact loudspeaker, MM-4XP miniature loudspeaker, MM-10XP miniature subwoofer, and HMS-10 surround loudspeaker.

SPEAKERS

d&b audiotechnik

D&B J8

3-way speaker, 80 ° Dispersion
(20 units Doha)

The high output J-Series reaches into large-scale sound reinforcement situations, extending further the spectrum of applications d&b systems embrace. The transparent and detailed audio performance with extraordinarily smooth and even frequency response, dynamic bandwidth, extreme high power and headroom capabilities, makes the J-Series the ultimate choice for the far-reaching reinforcement of any sound genre.

d&b audiotechnik

D&B J12

3-way speaker, 120 ° Dispersion
(4 units Doha)

The J12 is acoustically and mechanically compatible to the J8 loudspeaker, offering 120 degree dispersion angle compared to the 80 degrees of the J8.

d&b audiotechnik

D&B J-SUB

2-way cardioid subwoofer
(12 units Doha)

The J-SUB is an actively driven 2-way bass-reflex design housing three long excursion neodymium 18" drivers, two drivers face to the front and one driver to the rear.

d&b audiotechnik

D&B Q10

2-way speaker
(4 units Abu Dhabi)

The Q10 is a passive 2-way loudspeaker with a rotatable constant directivity horn and a passive crossover network

d&b audiotechnik

D&B Q1

2-way speaker
(12 units Doha)
(8 units Abu Duabi)

The Q1 line array loudspeaker is a passive 2 way cabinet, providing exceptional dispersion control maintained down to 400 Hz and generating a very precise clear sound.

d&b audiotechnik

D&B Q Subwoofer

18 inch subwoofer
(6 units Doha)
(6 units Ab Dhabi)

The Q-SUB for the Q-Series is a bass-reflex design incorporating a special 18" long excursion driver for a response down to 40 Hz. It is designed with the same cabinet width and identical flying fittings as the Q1 loudspeaker, enabling deployment with them in flown columns or as ground stacks.

d&b audiotechnik

D&B Audio Technik E3

2 way speaker
(12 units Doha)
(12 units Abu Dhabi)

The E3 is an extremely small and versatile high performance system with astonishing sound and excellent headroom.

d&b audiotechnik

D&B Audio Technik E12

12 inch subwoofer
(6 units Doha)
(6 units Abu Dhabi)

The small E12 subwoofer system with its special bass-reflex tunnel produces a tremendous SPL with minimal power compression and negligible port noise when used as a bass extension for the E3 system.

E3 Speaker Stands

Light weight stand black
(8 units Doha)
(8 units Abu Dhabi)

SPEAKERS

L-Acoustics KUDO

Multi-mode WST line source
(24 units Abu Dhabi)

KUDO offers far more flexibility than any other arena or theatre system, featuring a dual DOSC® HF waveguide and K-LOUVER Modular Directivity Technology. This combination of technologies generates eight directivity modes in both the horizontal and vertical planes and allows KUDO to fit many applications in terms of audience, geometry and content, delivers an extended LF bandwidth delivering a one source, coherent sonic experience and an exceptional ability to perform without additional subwoofers.

L-Acoustics SB28

High-power subwoofer
(12 units Abu Dhabi)

Exceptional power handling capability. Low frequency limit of 25 Hz. Laminar airflow vents for increased dynamic range. Reduced vent turbulence noise. LA8 amplified controller drive and protection with new preset library.

L-Acoustics LA-Touring RAK

Modular signal and power distribution
(6 unit Abu Dhabi)

Modular touring rack designed for all L-ACOUSTICS systems. Hosts 3xLA8 for maximum drive flexibility and power. Analog Signal, Network and Power distribution panels. Engineered 9U frame allows flying and rigging. Compatible with legacy cabling standards

SPEAKERS

EAW KF760

3 way line array module, long throw (24 units Doha)

The KF760 features EAW's advanced divergence shading where all loudspeakers are powered at equal level. A full KF760/761 array can provide uniform sound coverage from directly beneath itself out to hundreds of feet without complex signal processing.

EAW KF761

3 way line array module, medium throw (12 units Doha)

The KF761 is designed to supplement the KF760 in arrays to provide nearfield coverage for distances less than 100 feet.

EAW KF730

Compact line array module (16 units Doha)

The KF730 SLAM (Small Line Array Module) packs a six-driver, horn-loaded KF Series design into a very compact enclosure.

EAW SB730

sub for KF730 (8 units Doha)

The SB730 is the compact companion subwoofer to the KF730., extending response to 35 Hz.

SPEAKERS

EAW SB 1000 ZR

2x18" sub bass
(12 units Doha)

The SB1000z (2 x 18-inch) is a direct radiating, high output, large-format subwoofer.

EAW LA400

1x12" home loaded sub
(4 units Doha)

The LA400 subwoofer uses bass horn technology in loading a powerful 12-inch woofer on an expanding bass horn that is eight feet in length, and provides extremely high output sub bass response in a compact, portable enclosure.

EAW LA118z

1 x 18 inch sub
(4 units Doha)

The LA118z (single 18-inch LF) professional subwoofer is engineered to complement LA Series full range systems and any full range loudspeaker.

EAW KF 850ZR

3 way stage system
(4 units Doha)

The KF850z has been the touring system standard for well over 15 years.

EAW JF80z

2 way compact speaker
(10 units Doha)

The JF80z (2 x 6.5-inch woofer) is a compact loudspeaker, engineered for exceptional nearfield performance.

EAW JF60z

2 way compact speaker
(10 units Doha)

The JF60z (1 x 6.5-inch woofer) is a compact loudspeaker, engineered for exceptional nearfield performance. It provides high output and pristine fidelity for foreground and background music applications.

EAW NTS22

Powered sub for NT29
(8 units Doha)

The NT Series defies the conventional wisdom that PA loudspeakers can never sound as good as premium direct-radiating studio monitors.

EAW NT29

2 way powered speaker
(12 units Doha)

The NT Series defies the conventional wisdom that PA loudspeakers can never sound as good as premium direct-radiating studio monitors.

SPEAKERS MONITORS

d&b audiotechnik

d&b M2 Monitor

(2 units Abu Dhabi)

A 2-way high performance stage monitor, with a peak sound pressure level of 143 dB. achieves a constant directivity of 45° x 60° > 600 Hz. With 2 x 12" driver / 1.4" compression driver with CD horn

d&b audiotechnik

d&b M4 Monitor

(4 units Abu Dhabi)

A 2-way high performance stage monitor that produces 134 / 138 dB SPL. The constant directivity dispersion of 50° x 70° (h x v). With 15" driver with neodymium magnet / coaxial 1.3" exit compression driver with 3" coil and CD horn

d&b audiotechnik

d&b M6 Monitor

(6 units Abu Dhabi)

A 2-way high performance stage monitor that produces 132 / 135 dB SPL. The constant directivity dispersion of 50° x 80° (h x v). With 12" driver with neodymium magnet / coaxial 1.3" exit compression driver with 3" coil and CD horn

EAW

EAW SM15

15" Stage monitor
(6 units Doha)

SM15 is a high-output stage monitor.

Meyer Sound

Meyer Sound UM-100P

Wide Coverage Stage Monitor
(8 units Doha)

Flat frequency and phase response afford high levels of gain before feedback. Symmetrical, wide constant-Q horn provides maximum freedom of movement for performers. High peak power ensures excellent transient response. Low-profile cabinet preserves sight lines.

Meyer Sound

Meyer Sound UM-1P

Narrow Coverage Stage Monitor
(4 units Doha)

Flat frequency and phase response afford high levels of gain before feedback. Symmetrical, narrow constant-Q horn for precise coverage. High peak power ensures excellent transient response. Low-profile cabinet preserves sight lines.

EAW

EAW VRM12

12" passive stage monitor white
(10 units Doha)

TThe VRM12 (coaxial design) can serve as both a floor monitor and as a standmount portable loudspeaker.

EAW

EAW SM 500iV

(6 units Doha)

15" passive stage monitor

EAW

EAW SM12

12" stage monitor
(6 units Doha)

The SM12 is a high-output stage monitor in an attractive low-profile enclosure.

MIXERS

Digico SD7

Live Digital Console with Stealth Digital Processing
(1 unit Abu Dhabi)

Faders 38 x 100mm touch-sensitive, motorised + 14 x 60mm touch sensitive, motorised, Screens 3 x 15" LCD high - resolution touch screens, Meterbridge 3 x Custom Mounted LCD high-resolution TFT-LCD screens, Redundancy Internal removable engine x 2, Internal hot-swappable PSU x 2, Processing Channels Up to 256 (combination of Input Channels / Aux / Solo Group Busses), Busses Up to 128 Aux / Group busses with full processing Mono / Stereo / LCR / 5.1 , Matrix Up to 32 Input / 32 Outputs with full processing

Digico SD5

modern-day control surface
(1 unit Abu Dhabi)

Faders 37 x 100mm touch-sensitive, motorised, Matrix Up to 24 Input / 24 Outputs with full processing, nternal FX Up to 24 stereo effects comprising up to 16 floating point reverbs and up to 24 delay/chorus/pitch/enhancer, Screens 3 x 15" LCD high - resolution touch screens, Control Groups Up to 24, selectable for VCA-style, Moving fader, Mute Group, Input Channels 124, Ext Sync Wordclock, AES, Video, MADI, Optics, Sampling rates 48kHz / 96kHz / 192kHz (processing capabilities halved at 192kHz).

2 x DiGiCoSD Rack, delivering up to 192kHz high resolution analogue I/O converters and multiple digital formats including: MADI, AES, ADAT and Aviom.

2 x Optocore fiber optics 150m.

DiGiCo

Digico D5 Live FMX

Live control surface Software Ver. 4
(2 units Doha)

The D5 Live FMX system package provides a complete (Front of House and Monitor) production mixing system that offers stunning audio quality, versatility - and innovation.

The D5 Live FMX package gives a full 112 Mic inputs on stage, with a worksurface for monitors and a worksurface for Front of House both with their own local DiGiRacks.

Also, three 150 metre drums of fibre optic cable are provided to allow for a digital split

and full redundancy of your fibre multicore. The D5 Live FMX package can also be split into two D5 live 56 EX packages therefore maximising rental flexibility.

2 x Digico local rack,
32 in, 40 out, 16 AES in/out.

2 x Digico stage rack 56 in, 8 out.

2 x Optocore fiber optics 100m.

DiGiCo

Digico SD8

(1 unit Doha)

Complete 56 channel digital console with 48/8 stage rack with digital madi snake.

MIXERS

Midas Pro9
(1 unit Doha)
Midas Pro6
(1 unit Abu Dhabi)

Dual "Daylight Visible" Screens with 3-way KVM switch, XL8-Style "Fast Zones", XL8-Style Dual Operator "Channel Strips", 10 VCAs, 6 POPulation Groups, Configurable "Area B", 16 Input Faders, Up to 80 simultaneous mix channels, 16 Group/Aux & 16 Matrix - 32 Mixes in "monitor" mode, Surround panning including LCRS, Quad and 5.1, Dual-Redundant Linux Control Computers, Dual-Redundant HyperMac (192x192) digital snake included, 8 Fully-assignable FX engines – with new FX options, Up to 36 KT Graphic EQs - with optional DN9331 Rapide control, 3 AES50 Ports on the Control Centre for I/O expansion and XL8 connectivity, 24 Configurable inputs and outputs on the Control Centre .

Audio System Engine (DL371)
(1 unit Doha)
(1 unit Abu Dhabi)
The PRO6 and PRO9 processing engine is a rack mount unit, which houses up to 7 audio processing modules and routing hardware.

Audio System Input Splitter (DL431)
(2 units Doha)
The DL431 is a fixed configuration unit which features 24 mic / line inputs. Each input feeds three separate preamps, two with separate gain controls, the third being fixed gain.

Modular I/0 (DL351)
(1 unit Abu Dhabi)
The DL351 is a unit that can provide 48 audio inputs and 16 audio outputs

(DL252)
(1 unit Doha)
The DL252 is a unit that can provide 16 audio inputs and 48 audio outputs

KLARK TEKNIK DN9696 High Resolution Audio Recorder
(1 unit Doha)
This High Resolution Audio Recorder offers 96 tracks of 96kHz audio at 24bit, with a massive 9 hours of internal storage.



KLARK TEKNIK DN9650 Network Bridge
The DN9650 network bridge allows the AES50 interfaces on MIDAS PRO Series digital audio systems, MIDAS I/O units to connect to third party multichannel digital audio networks.

Neutrik opticalCON
(2 unit Doha)
250m rugged and lightweight mobile field cable,

MIXERS

Midas Heritage 3000

48 Channel 8 Stereo Desk

(1 unit Doha)

The Heritage 3000 has established itself as the international industry standard in concert sound for Front of House and monitor applications. Defined not only by its striking colour (yes, it's purple) but also by all those things that make it so unmistakably Midas, the Heritage 3000 has proved to be a runaway success from day one.

Midas Siena

56 Channel Monitor Desk

(1 unit Doha)

Siena brings all of Midas' knowledge and experience in building dual-purpose consoles, such as the industry-leading Heritage 3000 and the now-legendary XL3, and offers all of these in a compact package.

Yamaha PM5D-RH

Digital Mixing Console 48 Channels

(1 unit Doha)

The PM5D is a great live sound console, its quality and reliability has made it the world's first choice of large digital mixer.

Yamaha LS9

Digital Mixing Console 32 Channels

(1 unit Doha)

While being compact and light enough for one person to move and set up easily, both models include features that have been field-proven in previous Yamaha digital consoles as well as outstanding sonic quality.

O1V 96 VCM

Digital Mixer

(1 unit Doha)

Perfect for professional applications where space is limited or maximum portability is required. It handles up to 40 inputs. Comes with a selection of Yamaha's unsurpassed VCM effects built in.

MIXERS

YAMAHA

MG166CX-USB

Analogue Mixer 16 Channels
(1 unit Doha)

High Quality mic preamp, 10 Mics + 4 Stereo line inputs 2 AUX sends + 1 EFFECT send, 6 buses (Stereo + 4 groups) HPF(CH1-12), 3 band Mid-sweep EQ(CH1-8), COMP(CH1-6), SPX Digital multi effect, Rack Mountable (12U), USB Connector, CUBASE AI4 Included.

Soundcraft

Soundcraft Spirit FX16

Analog 16 Channel with Lexicon Effects
(1 unit Abu Dhabi)

The FX16 offers a combination of powerful live and recording features, with enough channels and direct outputs to enable use with 16-track recording systems. It features a specially designed 16 program Lexicon Effects Section with dual effect capability (including Chorus and Reverb, Chorus and Delay , and Reverb and Delay) and fully editable and storable programs and parameters.

Soundcraft

Soundcraft EPM12

Analog 12 Channel
(1 unit Doha)

The EPM series expands Soundcraft's line of top-notch compact mixers. It combines all the features of Soundcraft's popular MPM mixer and adds a built-in 24-bit digital Lexicon effects processor.

Soundcraft

Soundcraft EPM8

Analog 8 Channel
(1 unit Doha)

The EPM8 boasts eight of Soundcraft's highly-transparent GB30 mic preamps - the same pres used on the larger LX7ii and GB series consoles. With two aux sends, two groups, a 3-band EQ and much more, your budget goes a long way with the Soundcraft EPM8.

MACKIE.

Mackie 402-VLZ3

Ultra-Compact 4 Channel Mixer
(3 units Doha)
(2 units Abu Dhabi)

Ultra-compact 4-channel mixer featuring Mackie VLZ3's signature low noise, high-headroom design. 2 studio-grade XDR2™ Extended Dynamic Range mic preamps & 4 high-headroom line inputs.

Pioneer

Pioneer DJM MIXER

DJM 800
(1 unit Doha)

The DJM-800 mixer gives professional DJs the tool they need to expand their musical horizon, with capabilities for mixing records, remixing, producing and performing. Pioneer's DJ mixers have a reputation for providing high quality audio and reliability. The new DJM-800 incorporates features recommended by many professional DJs and club engineers, raising the bar on sound fidelity and ease of mixer operation.

DENON DJ

Denon DJ MIXER

DN-X500
(1 unit Abu Dhabi)

Rock solid construction, superb audio fidelity, high quality parts, and of course reliability are the core ingredients of our design. The DN-X500's unique features provide Mobile and Club DJs tremendous flexibility and intuitive control. Eight-channel input matrix routing gives you the freedom to move any source to any channel or even the same source to multiple channels for remixing.

AMPLIFIERS & ACCESSORIES

Lab.gruppen PLM 10000Q

4 channel power amplifier with dolby lake processing
(12 units Doha)

The PLM 10000Q, the first in Lab.gruppen's PLM Series, combines cutting-edge technologies from two of the leading innovators in the live event production industry: Dolby Lake and Lab.gruppen.

Lab.gruppen FP 10000Q

4 channel power amplifier (4 x 2500 W @2 ohms)
(26 units Doha)

The FP 10000Q is the flagship four-channel model in the FP+ Series. At the core of the FP 10000Q's performance is a breakthrough advance in Lab.gruppen's patented Class TD® output stage, an amplifier topology that approaches the exceptional efficiency of Class D while retaining the sonic purity of proven Class B designs.

D&B D12

2 channel power amplifier with built in processor
(10 units Doha)
(24 units Abu Dhabi)

The d&b D12 amplifier is a dual channel amplifier incorporating digital signal processors (DSP) to provide loudspeaker specific configurations and functions. It is designed for use with all d&b loudspeakers.

L-acoustics LA8

(18 units Abu Dhabi)

Cutting edge loudspeaker amplification, DSP, network. High-grade 24 bit A/D converters, 130 dB dynamic range, 32 bit floating point SHARC DSP, 96 kHz sampling rate, 4 channel high efficiency amplifier section fed by 2 inputs, LA8 4X1800W/4 Ohms. Advanced dual IIR/FIR filter algorithms, Exclusive L-DRIVE system protection, Complete onboard L-ACOUSTICS preset library, LA NETWORK MANAGER RC software & monitoring. Ready for future multi-channel digital audio network.

EAW UX8800

4 in 8 out Digital Signal Processor with Gunness Focusing
(8 units Doha)

The UX8800 is a powerful 4-input by 8-output digital processor (48-bit/96-kHz) that is equally adept as a loudspeaker processor or an overall system processor, and it brings Gunness Focusing technology to an ever-increasing number of EAW loudspeakers.

EAW MX8750

4 in 8 out Digital Signal Processor with Gunness Focusing
(2 units Doha)

The MX8750 digital electronic processor is designed for use in 1- or 2-channel modes with bi-amplified and tri-amplified loud speakers along with subwoofers. It includes 2 input channels and 8 output channels that can be configured in any combination of input to output.

Lab Gruppen NLB 60E

(2 units Doha)

Nomadlink Bridge & network controller

EFFECTS PROCESSORS

Lexicon PCM 81

Digital Effects Processor

(1 unit Doha)

The PCM 81 Digital Effects Processor has everything that made the PCM 80 the top choice among studio effects processors – and more.

TC Electronic Reverb 3000

Reverb unit

(1 unit Doha)

The M3000 has some of the best sounding, most versatile and easy-to-use professional reverbs for music.

YAMAHA SPX2000

Reverb unit

(1 unit Doha)

The SPX2000, while inheriting the standard interface and common programs from its predecessors, brings a new dimension to the sound quality with the new "REV-X" reverb algorithm and the 96kHz audio DSP

TC Electronic D-TWO

(1 unit Doha)

Multitap Rhythm Delay Processor



Klark Teknik Octa

(2 units Doha)

8 channel comp gate



Klark Teknik DN 360

(9 units Doha)

Stereo Graphic EQ

DBX 160A

(6 units Doha)

Single channel compressor

DBX 215

(1 unit Doha)

Dual 15 band Graphic EQ

BSS DPR 402

Dual Compressor / Limiter

(2 units Doha)

The DPR-402 is a 2-channel compressor/limiter, high frequency de-esser

BSS DPR 504

4 Channel Noise Gate

(1 unit Doha)

The DPR-504 is a 4-channel noise gate. The Range switch selects between 7OdB and 2OdB gating depth to provide alternative release profiles.

BSS DPR-901 II

(2 units Doha)

Dynamic Equalizer

PLAYBACK

360 Systems Instant Replay
(1 unit Doha)
10 banks of 50 clips, 24 hours of playback time.

DENON DJ

Denon DN-D6000
(1 unit Abu Dhabi)
DN-D6000 Dual CD/MP3 Player

DENON DJ

Denon DN-C635
Single CD Player
(1 unit Doha)

TASCAM

Tascam CD 01U
Professional CD Player
(1 unit Doha)

TASCAM

Tascam CD-900 WL
CD Player CD Recorder
(1 unit Doha)

Fostex

Fostex CR500
CD Player CD Recorder
(1 unit Doha)

Numark

Numark IDJ2 - DJ System for iPod
(1 unit Doha)
iDJ2 is the first mixing station that enables you to play two tracks simultaneously from the same iPod. iDJ2 is a powerful DJ performance device with a dual-deck layout, a professional Numark DJ mixer, Numarkís exclusive Crate music-management system on a color LCD and a dock for iPod. You can perform with nothing more than iDJ2 and an iPod!

Pioneer

Pioneer CDJ 1000MK3
CDJ 1000 MK3
(2 units Doha)

TASCAM

Tascam MD 350
Mini disc player recorder
(1 unit Doha)

HHB UDP-89
The ultimate universal dvd/cd player
(1 unit Doha)
(1 unit Abu Dhabi)
DVD playback is an ever-expanding requirement in virtually every type of AV installation, from broadcast facilities and boardroom presentations to public information displays and entertainment systems.

MICROPHONES

Shure SM 58

Hand held cardiod vocal
(10 units Doha)
(10 units Abu Dhabi)

Legendary Shure SM58® vocal microphone, tuned to accentuate the warmth and clarity of lead and back-up vocals. Consistently the first choice of performers everywhere.

Shure Beta 58

Hand held cardiod vocal
(9 units Doha)
(6 units Abu Dhabi)

The Shure Beta 58A® is a high-output supercardioid dynamic vocal microphone designed for professional sound reinforcement and project studio recording.

Shure Beta 87

Hand held supercardiod vocal
(2 units Doha)
(2 units Abu Dhabi)

The Shure Beta 87A is a premium quality supercardioid handheld electret condenser vocal microphone with exceptionally smooth frequency response and high sound pressure level capability.

Shure Beta 57

Instrument Mic for drums, percussion, brass & guitar amps
(9 units Doha)
(6 units Abu Dhabi)

The Beta 57A is an excellent microphone designed for use with amplified or acoustic instruments. The compact grille design gets the microphone cartridge close to the sound source. Supercardioid, Dynamic.

Shure SM 94

Cymbals, ensembles & overheads
(5 units Doha)
(5 units Abu Dhabi)

The SM94 is a unidirectional electret condenser microphone tailored to the instrument miking needs of professional musicians and sound engineers in both live performance and sound recording.

Shure SM 57

Instrument Mic for drums, percussion, brass & guitar amps
(5 units Doha)
(5 units Abu Dhabi)

Multi-purpose Shure micophone with contoured frequency response for clean sound reproduction of amplified or acoustic instruments

Shure KSM 109

Drum Overheads
(3 units Doha)

Both the acoustic environment and microphone placement strongly affect the sound obtained from miking a source.

Shure Beta 52

Bass instrument mic
(1 unit Doha)
(1 unit Abu Dhabi)

Optimized for low-frequency bass punch and high-power SPL handling, the Beta 52A's supercardioid design provides maximum isolation from other onstage sounds.

Shure Beta 91

Boundry layer mic
(4 units Doha)
(4 units Abu Dhabi)

A low-profile microphone that requires no external mounting hardware. Lies flat on a pillow or other surface inside a kick drum for superb attack and low-end punch.

Shure Beta 98D/S

Clip on drum mics
(4 units Doha)

A tiny microphone that provides a versatile solution for high-volume instrument applications. Its supercardioid design provides maximum isolation from other onstage sounds.

Shure MX412D/C

Goose neck table conference mic with on off stage
(12 units Doha)

Microflex Standard Gooseneck microphones bring a whole new meaning to the word flexible with their fully adjustable gooseneck.

MICROPHONES

Shure UR2 Beta 58A

(9 units Doha)

The Beta 58A microphone accentuates the warmth and clarity of lead and backup vocals. Its supercardioid design provides maximum isolation from other onstage sounds.

Shure UR2 SM58

(4 units Doha)

Outdoors or indoors, singing, speech - the SM58 is the overwhelming choice of professionals.

Shure UR2 Beta 87A Capsule

(2 units Doha)

Shure UR2 KSM 9 Capsule

(1 unit Doha)

Shure UR4D

Dual radio mic recievers

(7 units Doha)

UR4D receivers provide single and dual-channel options for Shure's premium wireless. The latest technologies provide advanced control and robust flexibility for a wide range of professional uses.

Shure UR1

Bodypack transmitter for miniature mics

(10 units Doha)

The UR1 transmitter is a compact bodypack, constructed of lightweight metal to be exceptionally unobtrusive and abuse-resistant.

Shure UA845-UHF

Antenna distribution unit

(2 units Doha)

The UA845 UHF Antenna Distribution System is designed for large UHF or UHF-R wireless systems. Each unit allows up to four wireless receivers to use the same two antennas, and the CASCADE ports allow connection to a fifth receiver or a second UA845.

Shure PSM 400

(2 units Doha)

Hardwired Bodypack for use with PSM 400 Personal Monitor Systems.

Shure PSM 900

(3 units Doha)

The PSM®900 Wireless Personal Monitor System from Shure offers an unprecedented combination of superb audio quality.

Shure PSM 700

PSM 700 in Ear personal monitor

(2 units Abu Dhabi)

The PSM®700 series offers advanced controls and features that make it easy to quickly locate and lock in the clearest frequency, prevent distortion and minimize the number of antennas required to send mixes.

MICROPHONES

DPA 3511 Stereo Set

Acoustic guitar, piano, overheads, percussion, wind instruments

(1 set Doha)

The 3511 is a complete stereo kit for a broad range of recording applications using two 4011-TL Cardioid Microphones.

DPA 3506 Stereo Set

Acoustic guitar, piano, overheads, percussion, wind instruments

(1 set Doha)

The DPA 3506 is a complete Stereo Kit with two carefully factory-matched phantom powered condenser microphones.

DPA 4060-BM

Black Miniature Condenser

(14 units Doha)

This type is a prepolarised omnidirectional Miniature Condenser Mic with a 5.4 mm vertical diaphragm specially designed for maximum performance under the often difficult conditions when mounted directly on the human body.

DPA 4060 - BM

Beige Miniature Condenser

(10 units Doha)

This type is a prepolarised omnidirectional Miniature Condenser Mic with a 5.4 mm vertical diaphragm specially designed for maximum performance under the often difficult conditions when mounted directly on the human body.

DPA 4061

Black Miniature Condenser

(5 units Doha)

DPA 4061 is acoustically identical with the 4060, but the sensitivity is adjusted to match some of the more sensitive transmitters on the market.

DPA SMK 4060

Miniature Condenser with various clips

(2 units Doha)

The SMK4060 Stereo Microphone Kit is a cost-effective and flexible stereo recording solution aimed at project studios and for discreet mic setup on stage.

DPA 4088 - F

Headworn Miniature Mic

(2 units Doha)

DPA 4088 is a miniature cardioid headband built on the finest DPA experiences in microphone design and manufacturing.

Countryman Isomax

Headworn miniature mic

(10 units Doha)

It's no surprise that Countryman's E6i Omni Earset is a top choice for presenters, educators, worship leaders and pastors, broadcasters, and many, many more.

DPA 4011 - TL

(2 units Doha)

The first order cardioid pick-up pattern gives superb separation between sound sources while spot-miking on every kind of live music.

DPA DAD 6001 BC

(20 units Doha)

Miniature mic adapter for xlr cables

DPA DAD 6010

(10 units Doha)

Miniature mic adapter for shure belt pack

MICROPHONES

SCHOEPS Mikrofone

Collette Modular System

CMC6-U with Cardiod Capsule MK4

(2 units Doha)

This microphone capsule has the same features as the MK4, but in addition emphasizes the frequency response in the 9 kHz region by 4 dB.

Neumann TLM 103

(17 units Doha)

The TLM 103 is the ideal large diaphragm microphone for all professional and semi-professional applications requiring the utmost in sound quality

Neumann KM 184

(6 matched stereo pairs Doha)

The KM 184 is the ideal small diaphragm microphone for all professional and semi-professional applications requiring the utmost in sound quality

SENNHEISER

Sennheiser MKH 416

(2 units Doha)

The MKH 416 is a short gun interference tube microphone. Its excellent directivity and compact design, high consonant articulation and feedback rejection make the MKH 416 a superb all-round microphone for film, radio and television, especially for outside broadcast applications.

SHURE IT'S YOUR SOUND

Shure PG58 Radio Mic

(2 units Abu Dhabi)

It's never been easier to go wireless and sound like a pro. Shure PGX Wireless brings the superior sound of Shure Microphones together with innovative automatic setup features.

SCHERTLER

Schertler DYN GP SET

For grand pianos

(1 unit Doha)

The Grand Piano Model "DYN-GP", which utilises a matched pair of transducers, provides an even greater sense of space as the sound can be captured in two separate points thus, achieving a more balanced tone.

SCHERTLER

Schertler DYN B SET

For upright double bass

(8 units Doha)

Perfect amplification of the acoustic double bass has been a long-time dream for most jazz bassists. The DYN-B is simply the most natural double bass transducer in the world.

KLARK TEKNIK SIGNAL PROCESSING BY DEFINITION

Klark Teknik DN100

(16 units Doha)

(4 units Abu Dhabi)

D I Box for acoustic instruments

SENNHEISER

Sennheiser EW 135 G2 Vocal Set

(4 units Doha)

Handheld transmitter with MD 835 dynamic cardioid capsule and rack-mountable receiver

MICROPHONES

SENNHEISER

Sennheiser EM 3732-II

(4 units Abu Dhabi)

Up to 184 MHz switching bandwidth, Digital AES 3 audio output with external word clock synchronisation, Integrated antenna splitter for daisy-chaining up to eight devices, Intuitive user interface with OLED display

SENNHEISER

Sennheiser A 3700

(2 units Abu Dhabi)

Omnidirectional antenna

SENNHEISER

Sennheiser AD 3700

(2 units Abu Dhabi)

Directional antenna

SENNHEISER

Sennheiser MD 5235

(4 units Abu Dhabi)

MD 5235 has been acoustically optimized for loud stage use, its sound characteristics allowing the vocalist to cut through high sound levels on stage.

SENNHEISER

Sennheiser KK 105-S

(2 units Abu Dhabi)

Neumann Supercardioid capsule

SENNHEISER

Sennheiser ME 5005 e

(2 units Abu Dhabi)

Condenser mic head

SENNHEISER

Sennheiser SKM 5200-II

(8 units Abu Dhabi)

Up to 184 MHz switching bandwidth, Low-intermodulation mode (LoI), Switchable output power, Award-winning design

SENNHEISER

Sennheiser SK 5212-II

(2 units Abu Dhabi)

witchable output power, Very compact and rugged housing, Audio sensitivity adjustable in steps of 1 dB from -30 to +40 dB

COMSETS AND WALKIE TALKIES

HelixNet four-channel Headset/speaker main

Clear-Com **(1 unit Abu Dhabi)**

High Channel Density. Four independent intercom channels and power for beltpacks transmitted over shielded twisted-pair

Clear-Com **Tempest2400 2.4GHz 4 Ch. BaseStation**

(1 unit Abu Dhabi)

4-channel digital wireless BaseStation, 2.4GHz, license free operation, 2xTX redundant data transmission.

Clear-Com **HelixNet two-channel standard dual listen**

(12 units Abu Dhabi)

Two channel beltpack, Power and Audio over a Single Cablem, Program Audio with Separate Program Level Control, User-Facing Keyset Controls, Recessed Level Rotary Knob Controls.

Clear-Com

Tempest2400 2.4GHz 4 Ch. BeltStation

(5 units Abu Dhabi)

4-channel, full-duplex BeltStation, • 2.4GHz, license free operation, • Dual Talk/Listen operation

Clear-Com

single-ear standard HS XLR-4F

(17 units Abu Dhabi)

single-ear headset features high ambient-noise attenuation headphones and a hyper-cardioid dynamic microphone that provide high quality audio.

Clear-Com

Tempest2400 2.4GHz remote transceiver

(1 unit Abu Dhabi)

Tempest 2.4GHz Remote Antenna Transceiver; power provided by Tempest2400 base station via CAT-5 cable up to 1500 feet (300 meters). Comes with15 ft (4.5 m) CAT-5 cable and two whip antennas

COMSETS AND WALKIE TALKIES

TELEX RadioCom

RADIOCOM BTR-800
Wireless Intercom System
(1 unit Doha)

The BTR system incorporates 2 audio channels beltpack operator of communications, with the base station tracking the beltpack selection, allowing the user to create a party and a private line within the same beltpack.

ALTAIR
Altair
Master Base Station
(2 units Doha)

ALTAIR
Desk Remote Dual Channels
(2 units Doha)

ALTAIR
Single Channels Beltpack
(10 units Doha)

ALTAIR
Dual Channels Beltpack
(12 units Doha)

TELEX
TR 800
(10 units Doha)

TELEX

TELEX
Headset
(11 units Doha)

ALTAIR
Rotatable mic-boom Double Muff Headset
(11 units Doha)

ALTAIR
Rotatable mic-boom single Muff Headset
(15 units Doha)

K&M Mic Stands Short
Short Adjustable Boom Stand
(5 units Doha)



K&M Mic Table Stand
Round Base Table
(3 units Doha)

K&M Mic Floor Stands
Floor Adjustable Boom Stand
(5 units Doha)

K&M Mic Stand Long
Tall Adjustable Boom Stand
(57 units Doha)

K&M Music Stand
(100 units Doha)

K&M Orchestra Conductor Stand
(1 unit Doha)

K&M Music Stand Light
(100 units Doha)

Fender 60th Anniversary American Stratocaster

Solid Body Electric Guitar.
(1 unit Doha)

Fender American Precision Bass

Solid Body Electric Bass Guitar
(1 unit Doha)

K&M Memphis 20

Floor guitar Stand
(2 units Doha)

Fender De Luxe 112 Plus
(1 unit Doha)
94W Solid State 1x12" Combo Guitar Amplifier with Reverb

Boss
GT6B High end bass multi effects
(1 unit Doha)
Professional bass multi-effects processor with COSM technology.

Boss
GT8 guitar effects processor
(1 unit Doha)
BOSS's most powerful floor multi-effects processor.

Marshall MB4210
(1 unit Doha)
300W/450W 2x10" Hybrid Bass Combo Amp with HF Horn & Built in Compressor/ Limiter.

Marshall Mode Four MF350 Amplifier Head and MF400 4x12 Cabinet
(1 unit Doha)
350W Solid State Guitar Amplifier Head with Reverb & Matching Oversize 4x12 Cabinet.

Session Custom 5 pc drumkit

(1 set Doha)

The Pearl Session Custom delivers a combination of Masters Series-level features. It's constructed of 100% pure maple with six plies per shell. 18"x24" Bass Drum, 9"x12" Tom Tom, 10"x13" Tom Tom, 16"x16" Floor Tom, 5.5"x14" Steel Snare.

PL52S Starclassic Performer 5 pc drumkit

(1 set Doha)

By using bubinga wood for the inner layers of a birch shell, this mixture of birch and bubinga has created a new sound with a sweeter and deeper tone which exhibits the enhanced lows of bubinga. 18"x22" Bass Drum, 8"x10" Tom Tom, 9"x12" Tom Tom, 14"x16" Floor Tom, 5.5"x14" Snare Drum, and MTH909 Double Tom Holder.

Paiste 101 Brass 16" Crash

(1 unit Doha)

Paiste 101 Brass 20" Ride

(1 unit Doha)

Paiste 101 Brass 14" Hi-Hats

(1 set Doha)

Tama HP900PSWN

Tama Iron Cobra Power Glide Double Kick Drum Pedal

(1 set Doha)

Tama HP900PSN

(1 Unit Doha)

Tama Iron Cobra Power Glide Single Kick Drum Pedal

LP Congas

(1 Unit Doha)

Aspire (11+12) basket stand - Red Wooda

LP Bongos

(1 Unit Doha)

Aspire Red Wood

LP Tunable Djembe

(1 Unit Doha)

Aspire Red Wood

YAMAHA

Baby Grand Piano

(2 Units Doha)

YAMAHA

Clavinova Electric Piano

(2 Units Doha)

YAMAHA

Yamaha Motif ES8

(1 Unit Doha)

88 key music production synthesizer workstation high quality sounds to spark your creativity.

FLAME PROJECTORS, Co2 & CONFETTI

MYP-B LPG Flame Projector
(4 units Doha)
DMX512, mushroom effect 1m to 2m high

MYP-D Color Flame Projector
(4 units Doha)
DMX512, up to 4 colors of 3m high

MYP-A Normal Flame Projector
(8 units Doha)
DMX 512, mushroom effect 1m to 3m high

MYJ-A Normal Co2 Jet
(4 units Doha)
Direct control, sprays 36 times Up to 4m to 6m high

MYC- Confetti Cannon
(4 units Doha)
Built-in DMX, Up to 8m to 10m high

Confetti Scrolls & Streamers
(60 Kg. & 200 Tubes Doha)
Fire retardant, multi-colors & metallics

HAZE, SMOKE AND LASER

Reel Efx DF-50

Diffusion Hazer

(4 units Doha)

The safest, cleanest most cost effective atmospheric hazer.

Laser Color

(1 unit Doha)

LP Multi Color Rainbow 1 w

MYO-A Dry Ice Machine

(2 units Doha)

18KW, 380 V

200 sq.m to 300 sq.m

MY-I Direct Control Desk

(2 units Doha)

MY-II DMX Control Desk

(2 units Doha)

Color Spray Oil 480ml

(96 cans Doha)

Available in red, yellow, green and purple

TEXTILES & DRAPERIES

SHOWLED

Show LED

Chameleon Star Cloth (1234 m) Super standard, fire retardant, full color RGB star-cloth + control kit.

3m x 12m
(10 units Doha)
5m x 7.5m
(23 Units Doha)

ShowTex

Showtex Velvet

Velours Puccini (216 m)
18 m x 12 m
theater red color, a light cotton velvet with flat pile and satin shine.



ShowTex

Showtex Dance Carpet Double 0601 (800sq.m) Black/Gray

Double sided Vinyl Dance Floor Carpet, Extremely lightweight dance floor ideal for touring.

ShowTex

Truss Sleeve, Black

50m for (30x30) truss
50m for (40x40) truss
Truss Sleeve fits smoothly arounds various truss sizes, inherently
and permanently flame retardant.

LED Screens
3m x 2m - (8 Units Doha) / 4m x 3m (4 Units Doha)
6m x 4m - (2 Units Doha) / 8m x 6m (1 Unit Doha)

ShowTex
FrontScreen Supermat MicroPerforato
Outdoor front projection, fire retardant and weather proof
12m x 6.75m
(1 unit Doha)

ShowTex
Showtex Retro Projection Screen
Off white translucent fire retardant
12m x 18m(1 Unit Doha)
3m x 4m (4 units Doha)
9m x 3m (1 Unit Doha)

Projector Screen
(4 Units Doha)
6" x 6" screen with tri-pod stand

NEC
NEC
(4 units Doha)
DLP projector 3500 ansi

Samsung 55" LED 7 Series
(4 units Doha)

Samsung 55" LCD 6 Series
(6 units Doha)

Samsung LCD Screen
42" -
52" -

Samsung DVD Player
(2 units Doha)

Samsung Cinema System
(2 units Doha)
Sound bar with built-in DVD player

Portable LED TV Stands
(10 units Doha)

STAGING & ROOF SYSTEMS

Stage Platform
2m x 1m with adjustable legs
(127 Units Doha)

Stand
100 Kgs.
(16 Units Doha)

01	Global Truss Roof System	12 x 10 meters	4
02	Global Truss Roof System	18 x 18 meters	1
03	Global Truss Roof System	20 x 18 meters	1
04	Global Truss Roof System	24 x 24 meters	1
05	Global Truss Speaker Towers	Speaker Towers 9m High 1 Ton	4
06	Global Truss	Black Cloth	4
07	Global Truss	Sliver Cloth	4
08	Global Truss	Black Side Cloth	8
09	Global Truss	Black Back Cloth	4

TRUSSES

QTY IN STOCK	DESCRIPTION
12	Global Truss F9070-0.5m
11	Global Truss F9070-2m
10	Global Truss F9070-3m
22	Global Truss F9070-4m
8	Global Truss F7652-0.5m
18	Global Truss F7652-2m
13	Global Truss F7652-3m
30	Global Truss F7652-4m
16	Global Truss F44-0.5m
16	Global Truss F44-1m
12	Global Truss F44-1.5m
11	Global Truss F44-2m
60	Global Truss F44-2.5m
70	Global Truss F44-3m
24	Global Truss F44-4m
12	Global Truss F44-0.5 Ladder
14	Global Truss F44-1 Ladder
16	Global Truss F44-2 Ladder
34	Global Truss F44-3 Ladder
16	Global Truss F34-0.5m
40	Global Truss F34-1m
10	Global Truss F34-2m
48	Global Truss F34-3m
24	Global Truss F34-4m
32	Global Truss F44 Corner Block
20	Global Truss F44 Book Corner
14	F44 Base Plate
1	Global Truss F44-25 Circle
1	Global Truss F44-15 Circle
1	Global Truss F44-12 Circle
1	Global Truss F34-9 Circle
1	Global Truss F34-6 Circle
2	Global Truss F34-4 Circle
1	Global Truss F3-6 Circle
1	Global Truss F3-4 Circle

HOISTS, CONTROLLERS & ACCESSORIES

VERLINDE

SM 10

Capacity of 1000 kg
(24 units Doha)
(12 units Abu Dhabi)

The STAGEMAKER® COMPACT is designed for handling stage and theatre equipment, ensuring safe and precise positioning of speakers, lighting systems, stage sets, sceneries, etc.

VERLINDE

SM 5

Capacity of 500 kg
(12 units Doha)
(8 units Abu Dhabi)

The STAGEMAKER® COMPACT is designed for handling stage and theatre equipment, ensuring safe and precise positioning of speakers, lighting systems, stage sets, sceneries, etc.

DISTRIBUTION BOARDS

ELECTRICAL DISTRIBUTION BOARDS

Rubber Box Co Ltd

Rubberbox
(3 units Doha)
(2 units Abu Dhabi)
400 amp powercase

Rubber Box Co Ltd

Rubberbox Rub270H
(2 units Abu Dhabi)

63 A to 16 A distribution box

Rubber Box Co Ltd

Rubberbox Rub270H3
(1 unit Doha)
((1 unit Abu Dhabi)

63 A to 32 A Single Phase distribution box

Rubber Box Co Ltd

Rubberbox Rub4201
(1 unit Abu Dhabi)

125 amp distribution box

Rubber Box Co Ltd

Rubberbox Rub270H
(2 units Doha)
(1 unit Abu Dhabi)

63 A to 32 A distribution box

ELECTRICAL DISTRIBUTION BOARDS

Rubberbox RubSSP163
(4 units Doha)
16 A splitter

Rubberbox OSC2
(12 units Doha)
(12 units Abu Dhabi)



Raygun Splitter
(195 units Doha)
(100 units Abu Dhabi)
16 A splitter

Rubberbox RubTR2
(2 units Doha)
13 A triangle break out box

Rubberbox RubTR5
(2 units Doha)
Triangle break out

Rubberbox RubTR1
(2 units Doha)
16 A triangle break out box

Rubberbox RubSST16
(40 units Doha)
(38 units Abu Dhabi)
Socapex to 6 x 16 Amp Single Phase breakout with Truss Clamps

Rubberbox Rub1402
(3 units Doha)
(1 unit Abu Dhabi)
Small break out with 63 amp in with 2x32 amps out

Rubberbox Rub971
(10 units Doha)
1x16 A to 4x13 A Plugstrip

Rubberbox Rub1306P2
(4 units Doha)
Powercon break out

Electrical DB
(3 units Doha)
Distribution box 1x63 amp single phase in 8x32 amp single phase out.

Electrical DB
(2 units Abu Dhabi)
Distribution box 1x32 amp single phase in 8x16 amp single phase out.

Electrical DB
(4 units Abu Dhabi)
Distribution box 20 amp single phase in 6x16 amp single phase out.

Electrical DB
(3 units Doha)
Main distribution 63 amp in with 3x63 amp single phase out.

CREATIVE EVENTS
1840

CREATIVE
EVENTS
1840

All equipment listed in this brochure is solely owned by Creative Communication Group and is for use in event productions staged by CCG or for rental purposes to third parties.

We at CCG are always keen to update our inventory and we do have a wide range of equipments other than listed in this brochure, so would you like to know more information, here is how you could contact us according to your inquiry:

For Management & Financial , please contact :

Jalal Dudin, Cheif Executive Officer
Email: jalal.dudin@ccg-events.com

For Technical Inquiries, please contact our Technical Support Department:

Philip Venter, Head of Dept. - Sound
Email: philip.venter@ccg-events.com

Michel Khairallah, Head of Dept. - Light
Email: michel.k@ccg-events.com

Mohamed Fetyani, Technician/Rigger
Email: mohamed.fetyani@ccg-events.com

For Logistics Inquiries, please contact our Operation & Logistics Department:

Sofian Dudin, Director of Operations & Logistics Manager
Email: sofian.dudin@ccg-events.com

Villa No.5, Bin Mahmoud Street, P.O. Box 8626 Doha Qatar Tel.: +974 44373971 - +974 44373461 Fax: +974 44373427

E-mail: admin@ccg-events.com Web: ww.ccg-events.com

© Creative Communication Group Ltd. All Rights Reserved


CREATIVE EVENTS
CREATIVE EVENTS